

Radio Controlled Microwave Sensing Linkage



Model: LT-I1218-ML

- 1. Designed for energy saving purpose.
- 2.Intelligent device employing radio technologies
- 3. Tubes will be turned on 100% brightness when detecting moving object (people, cars, .. etc).
- 4. Tubes do not detect moving objects will receive radio signal from the tube which detecting the moving object and will be turned on at specific brightness level as according to the radio signal strength.
- 5. Group of tubes will produce "light wave" effect following the moving object.
- 6. Suitable for areas not requiring full lighting brightness at all area & at all time, e.g. car park, back stair, walk path corridor, .. etc.
- 7. Easy to plan, no planning is required.
- 8. Easy to carry out maintenance task, i.e. 1-to-1 replacement.





Specification

Color Temp

Standard Size(mm) Ø28.5*1198mm

Material Aluminium+PC

Lamp Holder T8 G13
Power (W) 18W

Radio controlled brightness 20%, 40%, 60% (as according to radio signal strength)

Voltage(V) AC85 - 265V (50-60Hz)

Beam Angle 180 degree

Luminous Efficacy 140 lm/W

Total Lumen 2500 lm

CRI >80
Power Factor > 0.9

Radio Coverage Area Radius 50M

Detection Distance 8M

Detection Response Time Within 500ms

Moving Object Detection Microwave sensor

Standby Mode 10%

Model: LT-I1218-ML

2700K/3000K/4000K/6000K

Room B3, 18/F Bonsun Industrial Building, 364-366 Sha Tsui Road, Tsuen Wan, HongKong Phone: 852-35863418 Fax: 852-35440462 info@ilighting.com.hk